- canger in shildhood (Letter). Med. Clin. (Barc). (1) \$0(6):265-266. (In spanish). 340-963.
- 340-964. Maternal amoking in paegnancy [Editorial] Reediatric and perinantal Epidem 1988, 2, 5-12.
- 340-965. Rathai, R., Vijayasri, R., Rabu, S., Jeyastelan, L. Passive maternal smoking and birthweight in a south Indian population Fr. J. Obstet Gynaecol 1992 Apr 99 (4) 1942-3.
- 340-966. Matsuki, H., Kasuga, H., Osaka, F., Yanagisawa, Y., and Mishimara, H. 1985. A comparative study on the health affects of smeking and indoor air pollution in summer and winter. Tokai J. Expes. Clin. Med. 10(4):427-437.
- 340-967. Matsunga, S., Plesia, P., Marol, M. et al. Wffects of passive smoking on theophylline clearance. Clin Pharmacol Ther 1989; 46:399-407.
  - 340-968. Matsuki, H., Kasuga, H., Misawa, K., Dassen, W., Suchi, M., Hinohara, S., and Yokoyama, H. 1968. Impact of smoking on the concentration and activity of alpha-1-entitrypsin in serum in relation to the urinary excretion of hydroxyproline. Toxai J. Exp. Clin. Ned. 12(1):P19-P24.
- 340-969. Matsukura, S., Taminato, T., Kitano, M., Seino, Y., Hamada, H., Uchihashi, M., Makajima, H., and Hirata, Y. 1984. Effects of environmental tobacco smoke on urinary cotinine excretion in nonsmokers. Byidence for passive smoking. New England J. Med. 311:828-832. 8-2//
- Watsukura, S. Hamada H., Seino, Y., et al, 1985 Passive smoking. [Eetter]. New Emgl. J. Med. 312(11):720-721. 340-970.
- 340-971. Mattson, M., Royd, G., Byar, D., Brown, C., Callahan, J., Corle, D., Cullen, J., Greenblatt, J., Maley, M., Estupond, E., et al., 1989. Passive smoking on commercial mirline flights JANA 261(6):867-872.
- Mauderly, Joe L. Toxicological Approaches to Complex Mixtures. Environ Hith Prespective Suppl, Vol. 101, Suppl 4, Dec. 1993.

1 111 1

1

1.1

- 340-973. Mays, C., Lingen, M., Sumida, M., and Willhite, M. 1987.

  Effects of sidestream smoke on murine rephoduction and
  development. Annual meeting of the American Society of
  Society, American Microscopical Society, Aminal Behavior
  Society, the Crustacean Society, International Association of
  Astacology, and the Society of Systematic Society, Rev
  Orleans, LA. December 27-30, 1987. Am. Soci. 27(4):1342.
- √340-974. McAughey, J.J., J.M. Pritchard and A. Black. Relative Lung Cancer Risk from Exposure to Mainstream and Sidestream Smoke Particulates.
- √340-975. McCann, J., Choi, H., Yamasaki, H. and Ames, B. Detection of carcinogens as mutagens in the salmonella/microsome test:

  Assay of 300 chemicals. Proc Mat Acad Sci USA, Vol. 72,
  No.12. pp.5139, Dec. 1975, Med Sci.
  - 340-976. McCann and Ames, B. Detection of carcinogens as mutagens in the salmonella/microscope test: Assay of 300 chemicals: Discussion. Proc Nat Acad Sci USA. Vol. 78, No.3, pp.950-954, March 1976, med Sci.
- 340-977. McCann, Koyce, L. Girman and A.V. Mero. Potential Risks from Exposure to Organic Carcinogens in Indoor Air.
- 340-978. McCarthy, John, J. Spengler and Bei-Hung Chang. A Personal Monitoring Study to Assess Exposure to Environmental Tobacco Smoke.
- 340-979. McCornick, James. Olfaction. In praise of stinks. Langet, vol.3411May 1993.
- $\sqrt{340-980}$ . McConnochie, K. and Roghmann, K. 1989. Wheesing at 8 and 13 years: Changing importance of bronchiolitis and passive smoking. Pediatr. Pulmonol. 6(3):138-146.  $g_-2/3$
- 340-981. McGrindle, E. 1967. Dessive anoking and adverse health offects Md. Med. I 36(10):1007-1009.
- √340-982. McCunney, R. and Cashins, R. 1988. Environmental tobacco smoke and indoor air quality: A problem revisited [Letter]. J. Occup. Med. 30(7):540, 542.
- 340-983. McDonnell, William F. Utility of Controlled Numan Exposure Studies for Assessing the Health Effects of Complex Mixtures and Indoor Air Pollutants. Environ Hith Perspectives Suppl, Vol. 101, Suppl 4, Dec. 1993.

- 340-984. CHCKRY, B. and Fitzwarryne, C. 1987. The Commonwealth Department of Health Subke-Free Workplace Policy. Community Realth Stud. 11(1 Suppl):28-58.
- 340-985. McManus, Revin T. and J.D. deBethisy. A New Quanitative Thermospray LC-MS Method for Micotine and Its Metabolities in Biological Fluids. J Chromato Sci, Vol.28, Oct. 1990.
- 340-986. McMichael, A. 5086. Passive smoking and the public health-The winds of change are blowing [Editorial]. Med. J. Aust. 145(8):365-366.
- 340-987. McMighael, 1. 1989. Setting environmental exposure standards: The role of the epidemiologist. Int. J. Epidemiol. 18(1):19-16.
- of passive inhalation of cigarette smoke on exercise performance. Europ. J. Appl. Physiol. 54(2):196-200. 8-2/7
- V340-989. McNabb, McKendree E., R. Ebert, and K. McCusker. Plasma Nicotine Levels Produced by Chewing Micotine Gum. JANA, Aug. 1982, Vol. 248, Mo.7.
- √340-990. McSharry, C., K. Anderson and G. Boyd. Serological and clinical investigation of humidifier fever. Clin Allergy, 1987, Vol. 17, p.15-22.
  - 340-991. Meberg, A., Sande, N., Fors, O., and Stenwig, I. 1979. Smoking during pregnancy-effects on the fostus and on thiocyanate levels in mother and baby Acta Paedistr. Sound. 68:547-552.
  - 340-992. Neinept, L. 1988. Scientific basis for workplace clean eff. E. J. Med. 85(2/1141-142)
  - 340-993. Melibian, A., Prehalad, A., Hoffmann, D. Grinary trans, trans-muconic scid as an indicator of exposure to bemsens in eigerette suckers. Cancer Epidemiol Biomarkers Prev. 1993 Jan-Feb; 2(1):47-51
- '340-994. Melius, James, K. Wallingford, R. Kennlyside and J. Carpenter. Indoor air-quality the MIOSE experience. Ann. Am. Conf. Gov. Ind. Eyg., Vol. 10 (1984).
- 340-995. Meltser, Eli O. Air Pollution and the Upper Respiratory Tract.

1 1 1 1 1 1

- 1340-996. Mendell, Mark J. and A. H. Smith. Consistent Pattern of Elevated Symptoms in Air-conditioned office Buildings: A Renalysis of Epidemiologic Studies. AJPH, Oct. 1990, Vol.80, No. 10. 8-2/8
- $\checkmark$ 340-997. Mendell, M.J. Estimating Excess Burden of Work-Related Symptoms Associated with Air-Conditioned Office Building in the U.S. S-219
- √340-998. Mendell, Mark J. Hon-specific Symptoms in Office Workers: A
  Review and Summary of the Epidemiological Literature.
  - 340-999. Mennear, J. Carbon Monoxide and cardiovascular disease: an analysis of the weight of evidence. Regul Toxical Pharmacol 1993 Rab; 17(1)/77-84.
- 340-1000. Mennear, John H. Carbon Monoxide and Cardiovascular Disease: An Analysis of the Weight of Evidence. Regula Toxico Pharmaco 17, 77-84 (1993).
- V340-1001. Mensies, Richard, R. tamblyn, J. Farant, J. Hanley F. Munes and R. Tamblyn. The Effect of Varying Levels of Outdoor-Air Supply on the Symptoms of Sick Building Syndrom. New England Journal, Vol. 328, Mo.12, March 1993.
- 7340-1002. Meridian Research. 1988. Review of Four Studies Estimating the Risk of Exposure to Environmental Tobacco Smoke: Final Report. Prepared for: Office of Health Standards Programs, Occupational Safety and Health Administration by Meridian Research, Silver Spring, MD 20910. 221
- 340-1003. Mettlin, C. 1988. Descriptive and analytic emidemiology. Aridges to cancer control. Cancer 62(8 Suppl):1680-1687.
- 340-1004. Meyer, W., Rogers, R., Mortel, K., Judd, B. Byperlipidemia is a risk factor for decreased cerebral perfusion and stroke.

  Arch Neurol 1987 Apr; 44(4) 1418-22.
- -340-1005. Middaugh, A. Ann, S. Pinney and D. Lins. Sick Building Syndrome. Medical Evaluation of Two Work Forces. JOM, Vol. 34, No. 12, Dec. 1992.
- 340-1006. Miettinen, O., Mossiter, C. Man-made mineral fibers and lung cancer. Epidemiologic evidence regarding the causal hypothesis. Scand I work Environ Health 1990 Aug; 16(4):221-31.

- 40-1007. Milerad, J., J. Rajs and E. Gidlund. Micotine and cotinine levels in pericardial fluid in victims of SIDS. Acta Pediatr 83:59-62, 1994.
- 340-1008. Milhorn, H., Jr. 1989. Micotine dependence. Am. Fam. Physician 39(3):214-224. 8-222
- 340-1009. Mill, Thomas A.E. How environment effects patients with allergic disease: Indoor allergens and astha. Ann Allergy, Vol. 72, April 1994.
- 340-1010. Millar, Wayne J. Evaluation of the Impact of Smoking Restrictions in a Government Work Setting. Canadian J Public 1th, Vol. 79, Sept./Oct. 1998.
- 340-1011. Miller, A.B. Commentary on the Working Group Report on Passive Smoking. Clin Investiga Med, Vol.13, No.1, pp. 45-46, 1990.
- 340-1012. #iller, . Epidemiology, prevention, and prognostic factors in lung cander Curr Opin Oncol 2991 Apry 4(2):286-91.
- 340-1013. Willer, G.\ 1984. willer, G. 1984. Cancer, passive smoking and nonemployed and employed wives. West J. Med. 140:632-635.
- 340-1014. Miller, G. The impact of passive smoking: cancer deaths among homsmoking women [published erratum appears in concer Detect Prev. 1990; 14(6):688] [see comments]. Comment in: cancer Detect Prev. 1991; 15(3):256-7. Source: Cancer Detect Prev. 1990 14(5):497-503.
- 40-1015. Miller, Claudia S. Possible Models for Multiple Chemical Bensitivity: Conceptual Issues and Role of the Limbir System THE DIV OCCUP HITH.
- 1/340-1016. Miller, Richard P., K. Rotenberg and J. Adir. Effect of Dose on the Pharmacokinets of Intravenous Micotine in the Rat. Am Soc Pharmaco Experi Therap, Vol. 5, No.5.
- $\sqrt{340-1017}$ . Miller, M.J., W. Garlo and J. DiFiore. Premature Infants Decrease Supraglottic Resistance and Activate the Aklae Masi in Response to Resistive Loading.
- 340-1018. Misiaterpreting Ventilation Rates and Contaminant concentrations: NEJN SES Article Revisited. Vol. indoor\air Bulletin

i 1 1 -

- 340-1019. Mitchell, A.D. and W.J. Concordance of Results Between in Vitro Manualian Cell Mutagenesis and Clastogenesis Assays.
- /340-1020. Modera, Mark P. and Y. Bonnefous. Statistical Uncertainties Associated with Multiplexed Sampling with a Continuous Radon Monitor. Hlth Phys, Mar. 1993, Vol.64, Mo.3, p.291-299.
- 340-1021. Moessinger, A. 1989. Mothers who smoke and the lungs of their offspring. Ann. N. Y. Acad. Sci. 562:101-104. 8-225
- \*340-1022. Mohtashamipur, E., Muller, G., Norpoth, K., Endrikat, M., and Stucker, W. 1987. Urinary excretion of mutagens in passive smokers. Toxicol. Lett. 35(1):141-146.
- -340-1023. Mohtashamipur, E., Norpoth, K., Straeter, H. Clastogenic effect of passive smoking on bone marrow polychromatic erythrocytes of MMRI mice. Toxicol. Lett. 1987 Jan; 35(1):153-6.
- √340-1024. Mohtashamipur, E., Steinforth, T., Morpoth, K. Comparative bone marrow clastogenicity of cigarette sidestream, mainstream and recombined smoke condensates in mice. Mutagenesis 1988 Sep; 3(5):419-22.
- 340-1025. Moldaard, C., Bartok, A., Peddecerd, K., Pothrock, J., The association between cerebrovascular disease and amoking: a case-control study Neuroepidemiology 1984; 5(2) 188-94.
- 2340-1026. Molhave, L. B. Bach and O. Pedersen. Human Reactions to Low Concentrations of Volatile Organic Compounds. Environ Internatl, Vol. 12, p0.167-175, 19986.
- √340-1027. Molhave, Lars. Human response to Valatile Organic Compounds as Air Pollutants in Normal Buildings. Inst Environ Occup Med.
- ✓340-1028. Molhave, L. The Sick Building Syndrom (SBS) Caused by Exposures to Volatile Organic Compounds (VOCs).
- V340-1029. Molhave, Lars, J. Jenkin and S. Larsen. Subjective Reactions to Volatile Organic Compounds as Air Pollutants. Atmosp Environ, Vol.25A, No.7, pp.1283-1293, 1991.
- 340-1030. Mooser, Stephen B. The Epidemiology of Multiple Chemical Sensitivities (MCS). Occup Med: State of the Art Reviews-Vol.2, No.4, Oct./Dec. 1987.

- 340-1031. Monteith, L., Simmons, D., Davis, K., Keever, J., Callahan, J., Hughes, T., and Clarton, L. 1986. Mutagenic activity of sidestream and mainstream cigarette smoke is the Nass/Salmonella Assay. Epviron. Mutagen 8 (Suppl. 6):56.
- 340-1032. Monteith, L., Simmons, D., Myers, C., Hughes, T., and Claxton, L. 1987. Comparative genotoxicity of sidestream and mainstream cigarette smoke. Environ. Mutagen 9(Suppl 8):75.
- 340-1033. Montopoli, Michael. Legionella in the Workplace.
- 340-1034. Moorhead, K. 1985. Passive Enoking and young children's Health. Austral. Fam Physic. 14(10):1058-1059, 2061-1082.
  - 340-1035. Moran, E. Epidemiological factors of cancer in California.
    J. Environ Pathol Toxicol Oncol 1992 Sep-Oct; 12(5-6):303-7.
  - 340-1036. Morgan, P. 1989. Re 'Effects of passive smeking in the Eultiple Risk Factor Intervention Trial'. Am. J Epidemiol 129(1):226-227.
- of worksite smoking policies -- New York City N.R. W.R., Inc. 36(12):177-126.
- 340-1038. Morbidity and Mortality Weekly Report (MMWR). 1988. Passive smoking: Beliefs, attitudes, and exposures--United States, 1986. M.M.W.R., Inc. 37(15):239-241.
- 340-1039. Morrison, A. Epidemiology and environmental factors in urologis cancer. Cancer 1987 Aug 1: 60(3 Suppl) 632-4.
- 340-1040. Mortality and Morbidity Weekly Report (MMWR). 1989. Chronic disease reports: Deaths from lung cancer--United States.

  K.M.W.R., Inc. 38(29):501-505.
- 340-1041. Montality and Morbidity Weekly Report (MMWR). Chronic Disease Reports Coronary Heart Disease Mortality United States, 1986. Vol. 38, No. 16.
- 340-1042. Morbidity and Mortality Weekly Report (MMWR). Coccidioidomycosis - United States, 1991-1992. Jan. 1993, Vol.42, No.2.
- 340-1043. Morbidity and Morbality Weekly Report (MMWR). Preliminary Data: Exposure of Persons Aged 4 Years to Tobacco Smoke -United States, 1988-1991. Vol. 42, No. 2.

11 :

- 340-1044. Morbidity and Mortality Weekly Report (MMWR). Smoking Control Among Health-Care Wonkers-World No-Tobacco Day, 1983. Vol. 42, No. 19, May 1993.
- 340-1045. Morey R.R. Microbiological Contamination in Buildings: Presentions During Remediation Activities.
- 340-1046. Morrow, Lisa A., C. Ryan, G. Goldstein and M. Hodgson. A Distinct Pattern of Personality Disurbance following Exposure to Mixtures of Organic Solvents. J Occupa Med, Vol. 31, No. 9, Sept. 1989.
- 340-1047. Moulin, Jean J., P. Wild, J. Haguenoer, B. Faucon, R. DeGaudemaris, J. Mur, M. Mereau et al. A nortality study among mild steel and stainless at ear welders. Brist J Indua. Med 1993;50-234-243.
- 340-1048. Muittari, A., P. Kumsisto and A. Sovijarvi. An epidemic of bath water fever endotoxin alveolities? Eur J Respir his e3 (1982): suppl. 123, 108-216.
- 340-1049. Mukatis, W. Afred. Chemical Susceptibility (CS) [Letter]
- 340-1050. Mukherjee, Shyamali, L. Woods, E. Weston, A. Williams and S. Das. the Effect of Mainstream and Sidestream Cigarette Smoke Exposure on Oxygen Defense Mechanisms of Guinea Pig Erythrocytes. J Biochem Toxicol, Vol.8, No.3, 1993.
- 340-1051. Numcuoglu, Kosta Y., Y. Abed, B. Armenios, S. Shaheen, J. Jacobs, S. Bar-Sela and E. Richter. Asthma in Gaga refugee camp children and its relationship with house dust mites. Ann Allergy, Vel. 72, Feb. 1994
- 340-1052. Muramatsu T., Umemure, S., Okada, T., and Tomita, H. 1984. Estimation of personal exposure to tohacco smoke with a newly developed nicotine personal menitor. Environ. Rec. 35:218-227 (1984).
- 340-1053. Muramatsu, M., Umenura, S., Fukui, J., Arai, T., and Kira, S., 1987. Estimation of personal exposure to ambient micorine in daily environment. Int. Arch. Occup. Environ. Health 59 61:545-550.
- 340-1054. Muranaka, H., Higashi, B., Itani, S., and Shimiru, Y. 1988.
  Evaluation of nicotine, cotinine, thiopyanate,
  carboxyhemoglobin, and expired carbon monoxide as biochemical
  tobacco smoke uptake parameters. Int. arch. Occup. Environ.
  Health 60(1):37-41.